AP ACCREC

WorkOrder: 20061243



June 24, 2020

Carolyn Green
Dunlap Lake Property Owners Association
P.O. Box 5
Edwardsville, IL 62025
TEL: (618) 791-1398

FAX:

RE: Lake Water Dunlap Lake

Dear Carolyn Green:

TEKLAB, INC received 3 samples on 6/17/2020 10:54:00 AM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Marvin L. Darling

Project Manager (618)344-1004 ex 41

mdarling@teklabinc.com

Mowin L. Darling II



Report Contents

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association

Work Order: 20061243

Client Project: Lake Water Dunlap Lake

Report Date: 24-Jun-2020

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	4
Accreditations	5
Laboratory Results	6
Receiving Check List	9
Chain of Custody	Appended



Definitions

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association Work Order: 20061243

Client Project: Lake Water Dunlap Lake Report Date: 24-Jun-2020

Abbr Definition

- * Analytes on report marked with an asterisk are not NELAP accredited
- CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.
- CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.
 - DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.
 - DNI Did not ignite
- DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.
- ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.
- IDPH IL Dept. of Public Health
- LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.
- LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.
- MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."
- MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).
- MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MW Molecular weight
- ND Not Detected at the Reporting Limit

NELAP NELAP Accredited

- PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.
 - RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.
- RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).
- SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.
- Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.
- TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"
- TNTC Too numerous to count (> 200 CFU)

Qualifiers

- # Unknown hydrocarbon
- C RL shown is a Client Requested Quantitation Limit
- H Holding times exceeded
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike Recovery outside recovery limits
- X Value exceeds Maximum Contaminant Level

- B Analyte detected in associated Method Blank
- E Value above quantitation range
- I Associated internal standard was outside method criteria
- M Manual Integration used to determine area response
- R RPD outside accepted recovery limits
- T TIC(Tentatively identified compound)



Case Narrative

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association Work Order: 20061243

Client Project: Lake Water Dunlap Lake Report Date: 24-Jun-2020

Cooler Receipt Temp: 18.2 °C

Locations

	Collinsville		Springfield	Kansas City					
Address	5445 Horseshoe Lake Road	Address	3920 Pintail Dr	Address	8421 Nieman Road				
	Collinsville, IL 62234-7425		Springfield, IL 62711-9415		Lenexa, KS 66214				
Phone	(618) 344-1004	Phone	(217) 698-1004	Phone	(913) 541-1998				
Fax	(618) 344-1005	Fax	(217) 698-1005	Fax	(913) 541-1998				
Email	jhriley@teklabinc.com	Email	KKlostermann@teklabinc.com	Email	jhriley@teklabinc.com				
	Collinsville Air		Chicago						
Address	5445 Horseshoe Lake Road	Address	1319 Butterfield Rd.						
	Collinsville, IL 62234-7425		Downers Grove, IL 60515						
Phone	(618) 344-1004	Phone	(630) 324-6855						
Fax	(618) 344-1005	Fax							
Email	EHurley@teklabinc.com	Email	arenner@teklabinc.com						



Accreditations

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association Work Order: 20061243

Client Project: Lake Water Dunlap Lake Report Date: 24-Jun-2020

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2021	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2021	Collinsville
Louisiana	LDEQ	166493	NELAP	6/30/2021	Collinsville
Louisiana	LDEQ	166578	NELAP	6/30/2021	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2020	Collinsville
Arkansas	ADEQ	88-0966		3/14/2021	Collinsville
Illinois	IDPH	17584		5/31/2021	Collinsville
Kentucky	UST	0073		1/31/2021	Collinsville
Missouri	MDNR	00930		5/31/2021	Collinsville
Missouri	MDNR	930		1/31/2022	Collinsville



Client Project: Lake Water Dunlap Lake

Laboratory Results

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association

Work Order: 20061243

Report Date: 24-Jun-2020

Lab ID: 20061243-001 Client Sample ID: Sample 1

Matrix: AQUEOUS Collection Date: 06/17/2020 9:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
COLISCAN								
E Coli	*	10		10	CFU/100ml	10	06/17/2020 14:10	R278159
EPA 600 351.2								
Total Kjeldahl Nitrogen (as N)	NELAP	1	J	0.9	mg/L	1	06/18/2020 14:36	166378
EPA 600 365.4 (TOTAL)								
Phosphorus, Total (as P)	NELAP	0.10	J	0.097	mg/L	1	06/18/2020 14:34	166380



Client Project: Lake Water Dunlap Lake

Laboratory Results

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association Work Order: 20061243

Report Date: 24-Jun-2020

Lab ID: 20061243-002 Client Sample ID: Sample 2

Matrix: AQUEOUS Collection Date: 06/17/2020 9:45

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
COLISCAN								
E Coli	*	10		< 10	CFU/100ml	10	06/17/2020 14:10	R278159
EPA 600 351.2								
Total Kjeldahl Nitrogen (as N)	NELAP	1	J	0.8	mg/L	1	06/18/2020 14:38	166378
EPA 600 365.4 (TOTAL)								
Phosphorus, Total (as P)	NELAP	0.100		< 0.100	mg/L	1	06/18/2020 14:37	166380



Client Project: Lake Water Dunlap Lake

Laboratory Results

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association Work Order: 20061243

Report Date: 24-Jun-2020

Lab ID: 20061243-003 Client Sample ID: Sample 3

Matrix: AQUEOUS Collection Date: 06/17/2020 10:00

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
COLISCAN								
E Coli	*	10		10	CFU/100ml	10	06/17/2020 14:10	R278159
EPA 600 351.2								
Total Kjeldahl Nitrogen (as N)	NELAP	1	J	0.9	mg/L	1	06/18/2020 14:41	166378
EPA 600 365.4 (TOTAL)								
Phosphorus, Total (as P)	NELAP	0.100		< 0.100	mg/L	1	06/18/2020 14:39	166380



Receiving Check List

http://www.teklabinc.com/

Work Order: 20061243 Client: Dunlap Lake Property Owners Association Client Project: Lake Water Dunlap Lake Report Date: 24-Jun-2020 Carrier: Doug Carney Received By: AMD Marin L. Darling II Reviewed by: Completed by: mbor Dilalli On: On: 17-Jun-2020 17-Jun-2020 Amber M. Dilallo Marvin L. Darling Extra pages included 0 Pages to follow: Chain of custody Shipping container/cooler in good condition? Yes 🗸 No Not Present Temp °C 18.2 Type of thermal preservation? Ice 🗹 Blue Ice None Dry Ice Chain of custody present? **~** No 🗀 Yes **~** Chain of custody signed when relinquished and received? Yes No L **~** Chain of custody agrees with sample labels? No 🗀 Yes **V** Samples in proper container/bottle? Yes No 🗀 **~** Sample containers intact? Yes No Sufficient sample volume for indicated test? Yes ~ No **✓** No 🗌 All samples received within holding time? Yes Field NA 🗸 Lab \square Reported field parameters measured: Yes 🗹 No \square Container/Temp Blank temperature in compliance? When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected. No VOA vials 🗸 Water – at least one vial per sample has zero headspace? Yes 📙 No 🗀 No TOX containers Yes No 🗌 Water - TOX containers have zero headspace? Yes 🗹 No 🗌 Water - pH acceptable upon receipt? NA 🗸 NPDES/CWA TCN interferences checked/treated in the field? Yes No 🗌

Any No responses must be detailed below or on the COC.

CHAIN OF CUSTODY

pg. of

Work order #2006 1243

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

	Carolyn Green carolyn@dunlaplake.org s known to be involved in litig	2025 gation? If yes,	_ Phone _ Fax: a surcharge v	· .	(618) 7 ply		98	No .	Samples on: A ICE BLUEICE NOICE 18.2 °C LYCH Preserved in: BLAB B FIELD FOR LAB USE ONLY Lab Notes: Client Comments Please Send Hesults to Jours. Carney a gmail. As well as Carolyn & July lake. or Surface water temp. Sof												o],Q					
Are there any requirements in the comm	s known to be hazardous? uired reporting limits to be ment section. Yes ject Name/Number		ested analysis							ûs Su	We rfo TRIX	ill (æ	75 . ()	ر کا کا کا	tro	yn Ye	Q c	JM:	LG DO NALY	leka F	e.c	<u>'</u>				
Lake Water Result Standard	unlap Lake	Billing Inst	ructions		から) nd Type	 /	ontaine	ers	Aqueous	IVIA	I NI		econ by conscan	Phosphorus	TKN		ICA I		·	313		AOE,				
2001 P.43 - 001 - 002	Sample 1 Sample 2 Sample 3	6/17/20	e Sampled 9 0930 5 0945 0 1000	1	1				XXX				X	X	X											
Dou (Relinquished By		6/17/2	Da	te/Tim	1e) 5 /	1		<u></u>		ک در		Rece	ved /	3y _					4	γü	Date	e/Tim	<u>e</u>	4	

The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions.

BottleOrder:

58885

